QCA SNF Coalition: Staff Sepsis Training Quiz



Date:	Facility:	Position:	Pre-test:	Post-test:	
	Send results to Dianna Ranger. Email: Dianna.ranger@area-d.hcqis.org OR Fax: 515-440-8200				

1. Which of these statements about sepsis are true?

- a. Sepsis is the body's extreme response to infection.
- b. Sepsis happens when an infection you already have triggers a chain reaction in your body. The infection may be in your skin, lungs, urinary tract or somewhere else.
- c. Sepsis is a life-threatening medical emergency.
- d. All of the above

2. Anyone can get an infection, and almost any infection can lead to Sepsis.

- a. True
- b. False

3. Which of the following, alone or together, can be signs or symptoms of Sepsis?

- a. Feeling confused or disoriented
- b. Shortness of breath
- c. Fast heart rate
- d. Fever, chills, or feeling very cold
- e. Extreme pain or discomfort
- f. Clammy or sweaty skin
- g. All of the above

4. Only 1 in 10 patients who die in a hospital has Sepsis.

- a. True
- b. False

5. How can you protect yourself and your family from Sepsis?

- a. If you or your loved one suspects sepsis or has an infection that's not getting better or is getting worse, ask your doctor or nurse, "Could this infection be leading to sepsis?"
- b. Ask your doctor or nurse how to prevent infections. Some steps include taking good care of chronic conditions and getting needed vaccines.
- c. Wash your hands. Keep cuts clean and covered until healed.
- d. Know the symptoms of sepsis (see question 3).
- e. ACT FAST. Get medical care RIGHT AWAY if you suspect sepsis or have an infection that's not getting better or is getting worse.
- f. All of the above.

6. Without fast treatment, Sepsis can cause which of the following?

- a. Tissue damage
- b. Organ failure
- c. Death
- d. All of the above

This material was prepared by Telligen, the Medicare Quality Innovation Network Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment. 11SOW-IA-C3-03/25/19-3316

Rafavansaa, National Instituto of Canaval Madical Sciences / National Institutos of Haalth / Cantava for Diagna Cantual and Busyantian / Canaia Alliansa

QCA SNF Coalition: Staff Sepsis Training Quiz



Date:	Facility:	Position:	Pre-test:	Post-test:
	Send results to Dianna Ranger. Email: <u>Dianna.ranger@area-d.hcqis.org</u> OR Fax: 515-440-8200			

1. Which of these statements about sepsis are true?

- a. Sepsis is the body's extreme response to infection.
- b. Sepsis happens when an infection you already have triggers a chain reaction in your body. The infection may be in your skin, lungs, urinary tract or somewhere else.
- c. Sepsis is a life-threatening medical emergency.
- d. All of the above

When germs get into a person's body, they can cause an infection. If that infection isn't stopped, it can cause sepsis. Sepsis is the body's extreme response to an infection. It happens when an infection you already have triggers a chain reaction in your body. The infection may be in your skin, lungs, urinary tract or somewhere else. Sepsis is a life-threatening medical emergency.

2. Anyone can get an infection, and almost any infection can lead to Sepsis.

- a. True
- b. False

Anyone can get sepsis. According to the Centers for Disease Control and Prevention (CDC) risk of infection and sepsis is higher in: adults 65 or older, people with chronic or long-term health problems, such as diabetes, lung disease, cancer and kidney disease, people with weaker immune systems and children younger than one year old. Remember: Sepsis is more common and more dangerous in older adults and in those with chronic or long-term diseases.

3. Which of the following, alone or together, can be signs or symptoms of Sepsis?

- a. Feeling confused or disoriented
- b. Shortness of breath
- c. Fast heart rate
- d. Fever, chills, or feeling very cold
- e. Extreme pain or discomfort
- f. Clammy or sweaty skin
- g. All of the above

All of the above, alone or together, can be symptoms of sepsis. Sepsis survivors have said that they never felt so sick in their lives.

This material was prepared by Telligen, the Medicare Quality Innovation Network Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment. 11SOW-IA-C3-03/25/19-3316

Rafavansaa, National Instituto of Canaval Madical Esiansaa / National Institutos of Haalth / Cantava fav Risaasa Cantval and Rusvantian / Canaia Alliansa

QCA SNF Coalition: Staff Sepsis Training Quiz



4. Only 1 in 10 patients who die in a hospital has Sepsis.

a. True

b. False

About one in three patients who die in a hospital have sepsis. Sepsis is also a main reason why people return to the hospital. More than 1.5 million people get sepsis each year in the U.S., and at least 250,000 Americans die from sepsis each year. Severe sepsis kills more people each year than prostate cancer, breast cancer and HIV/AIDS combined. Actress Patty Duke died of sepsis.

5. How can you protect yourself and your family from Sepsis?

- a. If you or your loved one suspects sepsis or has an infection that's not getting better or is getting worse, ask your doctor or nurse, "Could this infection be leading to sepsis?"
- b. Ask your doctor or nurse how to prevent infections. Some steps include taking good care of chronic conditions and getting needed vaccines.
- c. Wash your hands. Keep cuts clean and covered until healed.
- d. Know the symptoms of sepsis (see question 3).
- e. ACT FAST. Get medical care RIGHT AWAY if you suspect sepsis or have an infection that's not getting better or is getting worse.
- f. All of the above.

All of the above are all ways that you can get ahead of sepsis. Help protect yourself from sepsis by getting needed vaccines, such as a flu shot and pneumonia vaccine. Healthcare providers, patients and caregivers can work as a team to prevent infections and be alert to the signs of sepsis.

6. Without fast treatment, Sepsis can cause which of the following?

- a. Tissue damage
- b. Organ failure
- c. Death
- d. All of the above

When sepsis is severe, tissue (like muscles) may be damaged. Some people must have surgery to remove their limbs. Organs like the lungs, kidneys and liver may fail. It is important to ACT FAST. Studies show that people with sepsis who are treated quickly are more likely to survive. Get medical care RIGHT AWAY if you suspect sepsis or have an infection that's not getting better or is getting worse. Ask your doctor or nurse, "Could this infection be leading to sepsis?" Remember: ACT FAST. TIME MATTERS.

This material was prepared by Telligen, the Medicare Quality Innovation Network Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment. 11SOW-IA-C3-03/25/19-3316

Defenses National Institute of Consuel Medical Crisman / National Institutes of Health / Contact for Disease Control and Designation / Consis Allians